

Getting Started with vCloud OpenAPI

CloudAPI 32.0

28 MAR 2019

vCloud Director 9.7



vmware®

You can find the most up-to-date technical documentation on the VMware website at:

<https://docs.vmware.com/>

If you have comments about this documentation, submit your feedback to

docfeedback@vmware.com

VMware, Inc.
3401 Hillview Ave.
Palo Alto, CA 94304
www.vmware.com

Copyright © 2018–2019 VMware, Inc. All rights reserved. [Copyright and trademark information.](#)

Contents

1	Getting Started with vCloud OpenAPI	4
---	-------------------------------------	---

Getting Started with vCloud OpenAPI

1

Starting with version 9.5, vCloud Director integrates OpenAPI. OpenAPI specifications are defined using version 2.0, which are published to allow users to generate stubs and interfaces.

vCloud OpenAPIs supplement the legacy vCloud APIs. The legacy vCloud APIs are the existing XSD-based vCloud APIs as described in *vCloud API Programming Guide for Service Providers* at <https://code.vmware.com>.

vCloud OpenAPI Documentation

You can examine the vCloud OpenAPI documentation at https://vCloud_Director_IP_address_or_host_name/docs, or see the *vCloud Director CloudAPI API Reference* at <https://code.vmware.com>.

vCloud OpenAPI UI

- Service providers can visualize vCloud OpenAPI calls and interact with them at https://vCloud_Director_IP_address_or_host_name/api-explorer/provider.
- Tenant users can visualize vCloud OpenAPI calls and interact with them at https://vCloud_Director_IP_address_or_host_name/api-explorer/tenant/organization_name.

vCloud OpenAPI Principles

- IDs are full Uniform Resource Names (URNs).
- vCloud OpenAPI uses JSON serialization only.
- REST links are in the Link header.
 - Multiple relationships for any link are represented by multiple values in a space-separated list.
 - Links have a custom vCloud Director-specific "model" attribute that hints at the applicable data type for the links.
 - `title + rel + model` attributes evaluates to a unique link.

- Links follow Hypermedia as the Engine of Application State (HATEOAS) principles. Links are present if certain operations are present and permitted for the user's current role and the state of the referred entities.
- APIs follow a flatter structure relying on cross-referencing other entities instead of the navigational style used by the legacy vCloud APIs.
- Most endpoints that return a list support filtering and sorting similar to the query service in the legacy vCloud APIs.
- Accept header must be included to specify the API version for the request similar to calls to existing legacy vCloud APIs.
- Each feature has a version in the path element present in its URL.

Note Features without a version in their URL paths must be considered experimental.
